Bradshaw, C. P. *see* Maulik, P. K.
Brakoulias, V. *see* Berle, D.
Breitborde, N. J. K., López, S. R., and Kopelowicz, A. Expressed emotion and health outcomes among Mexican-Americans with schizophrenia and their caregiving relatives, 105
Brekke, J. S. *see* Yamada, A.-M.
Breslau, N., Bohnert, K. M., and Koenen, K. C. The 9/11 terrorist attack and posttraumatic stress disorder revisited, 539
Bressi, C., Porcellana, M., Marinaccio, P. M., Nocito, E. P., and Magri, L. Short-term psychodynamic psychotherapy *versus* treatment as usual for depressive and anxiety disorders: A randomized clinical trial of efficacy, 647
Brett, C. *see* Lovatt, A.
Brunoni, A. R. *see* Cohen, R. B.
Brunyé, T. T. *see* Propper, R. E.
Buchkremer, G. *see* Wittorf, A.
Bühner, M. *see* Hamann, J.
Bulzacka, E. *see* Ferchiou, A.
Butcher, J. *see* Gulden, A.
C
Cahill, S. P. *see* Moser, J. S.
Campbell, K., Bond, G. R., Drake, R. E., McHugo, G. J., and Xie, H. Client predictors of employment outcomes in high-fidelity supported employment: A regression analysis, 556
Canetti, D. *see* Hall, B. J.
Canino, G. *see* Feldman, J. M.
Cantero, D. *see* Valiente, C.
Cardeña, E. *see* Zingrone, N. L.
Cardenas, V. *see* Depp, C. A.; Tiznado, D.
Carlsson, J. M., Olsen, D. R., Kastrup, M., and Mortensen, E. L. Late mental health changes in tortured refugees in multidisciplinary treatment, 824
Casais, L. *see* Ojeda, N.
Casalin, S. *see* Vliegen, N.
Cassidy, K. A. *see* Kriegshauser, K.
Castro-Fornieles, J. *see* de la Serna, E.
Catts, S. V. *see* O'Toole, B. I.
Chaiklin, H. (Book Review) Palfrey, J., and Gasser, U. *Born Digital: Understanding the First Generation of Digital Natives*, 167
Chaiklin, H. and McKnight, K. Memoriam. In memoriam: Eugene B. Brody, MD, MA, DSc (Hons) 1921–2010, 393
Chandler, H. K. *see* Ciccone, D. S.
Chang, S. M. *see* Jeon, H. J.
Chelminski, I. *see* Zimmerman, M.
Chen, S.-C. *see* Hsiung, P.-C.
Cheung, E. F.-C. *see* Siu, B. W.-M.
Cho, M. J. *see* Jeon, H. J.
Cho, S-J. *see* Jeon, H. J.
Choi, S-H., Ku, J., Han, K., Kim, E., Kim, S. I., Park, J., and Kim, J-J. Deficits in eye gaze during negative social interactions in patients with schizophrenia, 829
Chow, H. M.-T. *see* Siu, B. W.-M.
Christman, S. D. *see* Propper, R. E.
Chung, L. *see* Hsiung, P.-C.
Ciccone, D. S., Chandler, H. K., and Natelson, B. H. Illness trajectories in the chronic fatigue syndrome: A longitudinal study of improvers *versus* non-improvers, 486
Cohen, K. *see* Blackburn, C.
Cohen, R. *see* Hamann, J.
Cohen, R. B., Brunoni, A. R., Boggio, P. S., and Fregni, F. Brief Report. Clinical predictors associated with duration of repetitive transcranial magnetic stimulation treatment for remission in bipolar depression: A naturalistic study, 679
Cohen-Mansfield, J., Thein, K., Dakheel-Ali, M., Regier, N. G., and Marx, M. S. The value of social attributes of stimuli for promoting engagement in persons with dementia, 586
Comi, A. M. *see* Turin, E.
Corrigan, P. W. *see* Rüsch, N.
Corveleyn, J. *see* Vermote, R.
Cramer, P., and Kelly, F. D. Attachment style and defense mechanisms in parents who abuse their children, 619
Creamer, M. *see* Forbes, D.
Cromer, T. D., and Hilsenroth, M. J. Patient personality and outcome in short-term psychodynamic psychotherapy, 59
Crumlish, N., and O'Rourke, K. Review article. A systematic review of treatments for post-traumatic stress disorder among refugees and asylum-seekers, 237
Crystal, S. *see* Walkup, J. T.
Czobor, P. *see* Gerevich, J.; Unoka, Z.
D
da Silva, P. F. R., and Blay, S. L. Review article. Prevalence and characteristics of outpatient psychotherapy use: A systematic review, 783
Dakheel-Ali, M. *see* Cohen-Mansfield, J.
Dalrymple, K. *see* Zimmerman, M.
de la Serna, E., Mayoral, M., Baeza, I., Arango, C., Andrés, P., Bombin, I., González, C., Rapado, M., Robles, O., Rodríguez-Sánchez, J. M., Zabala, A., and Castro-Fornieles, J. Brief report. Cognitive functioning in children and adolescents in their first episode of psychosis: Differences between previous Cannabis users and nonusers, 159
De Leo, D. *see* Milner, A.
DeLucia-Deranja, E. *see* Gregory, R. J.
Depp, C. A., Mausbach, B., Granholm, E., Cardenas, V., Ben-Zeev, D., Patterson, T. L., Lebowitz, B. D., and Jeste, D. V. Mobile interventions for severe mental illness: Design and preliminary data from three approaches, 715
Derhi, O. *see* Roe, D.
Dimaite, R. *see* Asnaani, A.
Dinh, T. Q. *see* Yamada, A.-M.
Djakababa, M. N. *see* Thormar, S. B.
Dlugonski, D. *see* Motl, R. W.
Drake, R. E. *see* Campbell, K.
Driessen, M. *see* Beblo, T.
Dudeck, M. *see* Kuwert, P.
Dunn, C. L. *see* Schmutte, T.
E
Earhart, G. M. *see* Hackney, M. E.
Eaton, W. W. *see* Maulik, P. K.
Echeburúa, E. *see* González-Ortega, I.
Eckert, K. A. *see* Roeger, L.
Ehlert, U. *see* Suarez, K.
Eichhorn, S. *see* Kuwert, P.
Ekeberg, Ø. *see* Grotmol, K. S.
Elizagárate, E. *see* Ojeda, N.
Emsley, R. *see* Barrowclough, C.
Erazo, N. *see* Ladwig, K.-H.
Escamilla, M. *see* Gara, M. A.
Espinosa, R. *see* Valiente, C.
Everall, I. P. *see* Bousman, C. A.
Ezcurra, J. *see* Ojeda, N.
F
Faerden, A. *see* Romm, K. L.
Farchi, M., and Gidron, Y. Brief report. The effects of "psychological inoculation" *versus* ventilation on the mental resilience of Israeli citizens under continuous war stress, 382
Fassino, S. *see* Abbate-Daga, G.
Fattal, O. *see* Kriegshauser, K.
Feldman, J. M., Ortega, A. N., Koinis-Mitchell, D., Kuo, A. A., and Canino, G. Child and family psychiatric and psychological factors associated with child physical health problems: Results from the Boricua Youth Study, 272
Ferchiou, A., Schürhoff, F., Bulzacka, E., Leboyer, M., and Szöke, A. Brief report. Selective attention impairment in schizophrenia: Can it explain source monitoring failure?, 779
Ferenc, L. M. *see* Turin, E.
Fernando, S. *see* Beblo, T.
Finset, A. *see* Grotmol, K. S.
Fleck, D. E. *see* Gara, M. A.
Flessner, C. A., Lochner, C., Stein, D. J., Woods, D. W., Franklin, M. E., and Keuthen, N. J. Age of onset of trichotillomania symptoms: Investigating clinical correlates, 896
Fletcher, S. *see* Forbes, D.
Foa, E. B. *see* Moser, J. S.
Foley, S. *see* Ramperti, N.

Fontana, A., and Rosenheck, R. War zone veterans returning to treatment: Effects of social functioning and psychopathology, 699
Fonteneau, B. *see* Larøi, F.
Forbes, D., Parslow, R., Fletcher, S., McHugh, T., and Creamer, M. Attachment style in the prediction of recovery following group treatment of combat veterans with post-traumatic stress disorder, 881
Franklin, M. E. *see* Flessner, C. A.
Fregni, F. *see* Cohen, R. B.
French, P. *see* Barkus, E.
Freyberger, H. J. *see* Kuwert, P.
Fridman-Balaban, R. *see* Rothschild-Yakar, L.
Fries, L. E. *see* Perron, B. E.
Friis, S. *see* Melle, I.
Froekjaer, V. G. *see* Vinberg, M.
Fuentenebro, F. *see* Valiente, C.
G
Gale, M. *see* Bousman, C. A.
Galea, S. *see* Hall, B. J.
Galione, J. N. *see* Zimmerman, M.
Gamble, S. A. *see* Poleshuck, E. L.
Gara, M. A., Vega, W. A., Lesser, I., Escamilla, M., Lawson, W. B., Wilson, D. R., Fleck, D. E., and Strakowski, S. M. The role of complex emotions in inconsistent diagnoses of schizophrenia, 609
Garland, C. F. *see* Booth-Kewley, S.
Gaw, A. C. *see* Teo, A. R.
Geerligs, L. *see* Wilhelm, K.
Gehl, C. R. *see* Anderson, K. E.
Gerevich, J., Bácskai, E., Czobor, P., and Szabó, J. Substance use in Roma and non-Roma adolescents, 432
Gersons, B. P. R. *see* Thormar, S. B.
Ghosh, S. *see* Kingdon, D. G.
Gidron, Y. *see* Farchi, M.
Giles, D. E. *see* Poleshuck, E. L.
Giltay, E. J. *see* van Duijn, E.
Ginzburg, K., Somer, E., Tamarkin, G., and Kramer, L. Brief report. Clandestine psychopathology: Unrecognized dissociative disorders in inpatient psychiatry, 378
Gleeson, S. *see* Kingdon, D. G.
Goldberg, R. W. (Book Review) Johnson, D. E. *Compendium of Psychosocial Measures: Assessment of People With Serious Mental Illness in the Community*, 312
Goldney, R. D. *see* Roeger, L.
González, C. *see* de la Serna, E.
González-Ortega, I., Rosa, A., Alberich, S., Barbeito, S., Vega, P., Echeburúa, E., Vieta, E., and González-Pinto, A. Validation and use of the functioning assessment short test in first psychotic episodes, 836
González-Pinto, A. *see* González-Ortega, I.
Gooding, P. *see* Taylor, P. J.
Gorman, J. M. *see* White, K. S.
Grados, M. A. *see* Turin, E.
Gramaglia, C. *see* Abbate-Daga, G.
Granholm, E. *see* Depp, C. A.
Greenberger, C., and Serper, M. R. Examination of clinical and cognitive insight in acute schizophrenia patients, 465
Gregory, R. J., DeLucia-Deranja, E., and Mogle, J. A. Dynamic deconstructive psychotherapy *versus* optimized community care for borderline personality disorder co-occuring with alcohol use disorders: A 30-month follow-up, 292
Griepenstroh, J. *see* Beblo, T.
Gros, D. F., Simms, L. J., and Acierno, R. Specificity of posttraumatic stress disorder symptoms: An investigation of comorbidity between posttraumatic stress disorder symptoms and depression in treatment-seeking veterans, 885
Grotmol, K. S., Ekeberg, Ø., Finset, A., Gude, T., Moum, T., Vaglum, P. and Tyssen, R. Parental bonding and self-esteem as predictors of severe depressive symptoms: A 10-year follow-up study of Norwegian physicians, 22
Grundke, E. *see* Kuwert, P.
Gude, T. *see* Grotmol, K. S.
Gulden, A., Westermeyer, J., Lien, R., Spring, M., Johnson, D., Butcher, J., and Jaranson, J. HADStress screen for posttraumatic stress: Replication in Ethiopian refugees, 762
Gur, E. *see* Rothschild-Yakar, L.
Gustafsson, P. E. *see* Nilsson, D.
Gutiérrez, M. *see* Ojeda, N.
H
Haahr, U. *see* Melle, I.
Hackney, M. E., and Earhart, G. M. Brief report. Social partnered dance for people with serious and persistent mental illness: A pilot study, 76
Hadzi-Pavlovic, D. *see* Wilhelm, K.
Hall, B. J., Hobfoll, S. E., Canetti, D., Johnson, R. J., Palmieri, P. A., and Galea, S. Exploring the association between posttraumatic growth and PTSD: A national study of Jews and Arabs following the 2006 Israeli-Hezbollah War, 180
Halperin, J. M. *see* Nomura, Y.
Hamann, J., Mendel, R., Schebitz, M., Reiter, S., Bühner, M., Cohen, R., Berthele, A., and Kissling, W. Brief report. Can psychiatrists and neurologists predict their patients' participation preferences?, 309
Han, C. *see* Schug, R. A.
Han, K. *see* Choi, S-H.
Hannan, A. *see* Berle, D.
Hansen, C. B. *see* Lagerberg, T. V.
Hasin, D. *see* Lizardi, D.
Hassan-Ohayon, I. *see* Roe, D.
Heaton, R. K. *see* Bousman, C. A.
Hellvin, T. *see* Lagerberg, T. V.
Hendin, H., Al Jurdi, R. K., Houck, P. R., Hughes, S., and Turner, J. B. (Letter to the Editor) Evidence for significant improvement in prediction of acute risk for suicidal behavior, 604
Hendin, H., Al Jurdi, R. K., Houck, P. R., Hughes, S., and Turner, J. B. Role of intense affects in predicting short-term risk for suicidal behavior: A prospective study, 220
Henninger, L. L. *see* Lysaker, P. H.
Henningsen, P. *see* Lahmann, C.
Hepworth, C. *see* Kingdon, D. G.
Herrlich, J. *see* Wittorf, A.
Highfill-McRoy, R. M. *see* Booth-Kewley, S.
Hilsenroth, M. J. *see* Cromer, T. D.
Hinton, D. E. *see* Asnaani, A.
Hobfoll, S. E. *see* Hall, B. J.
Hofmann, S. G. *see* Asnaani, A.
Holen, A. *see* Holgersen, K. H.; Nrugham, L.
Holgersen, K. H., Boe, H. J., Klöckner, C. A., Weisæth, L., and Holen, A. Brief report. Initial stress responses in relation to outcome after three decades, 230
Hong, J. P. *see* Jeon, H. J.
Hoover, D. *see* Walkup, J. T.
Horton, H. K. Linguistic ability and mental health outcomes among deaf people with schizophrenia, 634
Houck, P. R. *see* Hendin, H.
Hoyer, J. *see* Uhmann, S.
Hsiung, P.-C., Pan, A.-W., Liu, S.-K., Chen, S.-C., Peng, S.-Y., and Chung, L. Mastery and stigma in predicting the subjective quality of life of patients with schizophrenia in Taiwan, 494
Hughes, S. *see* Hendin, H.
Hung, S.-F. *see* Siu, B. W.-M.
Huntington's Study Group. *see* Anderson, K. E.
Huprich, S. K. *see* Porcerelli, J. H.
I
Illing, V., Tasca, G. A., Balfour, L., and Bissada, H. Attachment insecurity predicts eating disorder symptoms and treatment outcomes in a clinical sample of women, 653
Ip, P. *see* Siu, B. W.-M.
Isohanni, M. *see* Miller, B.
Ivory, J. D. *see* Kalyanaraman, S.
J
Jackson, D. *see* Ramperti, N.
Jakobi, U. E. *see* Wittorf, A.
Jaranson, J. *see* Gulden, A.
Järvelin, M.-R. *see* Miller, B.
Jenkins, J. H. *see* Kriegshauser, K.
Jeon, H. J., Lee, J-Y., Lee, Y. M., Hong, J. P., Won, S-H., Cho, S-J., Kim, J-Y., Chang, S. M., Lee, D., Lee, H. W., and Cho, M. J. Lifetime prevalence and correlates of suicidal ideation, plan, and single and multiple attempts in a Korean nationwide study, 643

Jeong, S. H. *see* Park, M-H.
Jeste, D. V. *see* Depp, C. A.; Tiznado, D.
Joa, I. *see* Melle, I.
Johannessen, J. O. *see* Melle, I.
Johnson, D. *see* Gulden, A.
Johnson, J. *see* Taylor, P. J.
Johnson, R. J. *see* Hall, B. J.
Jotteran, F. (Book Review) Mathews, D. J. H., Bok, H., and Rabins, P. V. *Personal Identity and Fractured Selves*, 607
Joukamaa, M. *see* Mattila, A. K.
Judd, P. *see* Bousman, C. A.
Judge, A. *see* Kalyanaraman, S.
Juen, B. *see* Thormar, S. B.
Jun, T-Y. *see* Park, M-H.
Jung, S-W. *see* Park, M-H.
K
Kähkönen, S. *see* Ahlgrén-Rimpiläinen, A.
Kalyanaraman, S., Penn, D. L., Ivory, J. D., and Judge, A. The virtual doppelganger: Effects of a virtual reality simulator on perceptions of schizophrenia, 437
Kastrup, M. *see* Carlsson, J. M.
Keller, W. R. (Book Review) Jackson, H. J., and McGorry, P. C. *The Recognition and Management of Early Psychosis*, 696
Kelly, F. D. *see* Cramer, P.
Kempke, S. *see* Vliegen, N.
Kendler, K. S. *see* Vance, T.
Kenny, M. (Book Review) Smail, D. L. *On Deep History and the Brain*, 234
Kerr, P. L. *see* Muehlenkamp, J. J.
Kessing, L. V. *see* Vinberg, M.
Kesting, M.-L. *see* Mehl, S.
Keuthen, N. J. *see* Flessner, C. A.
Keyes, K. *see* Lizardi, D.
Khess, C. R. J. *see* Sahoo, S.
Kilbourne, A. M. *see* Perron, B. E.
Kim, E. *see* Choi, S-H.
Kim, J-J. *see* Choi, S-H.
Kim, J-M. *see* Park, M-H.
Kim, J-Y. *see* Jeon, H. J.
Kim, S. I. *see* Choi, S-H.
Kim, T-S. *see* Park, M-H.
Kingdon, D. G., Ashcroft, K., Bhandari, B., Gleeson, S., Warikoo, N., Symons, M., Taylor, L., Lucas, E., Mahendra, R., Ghosh, S., Mason, A., Badrakalimuthu, R., Hepworth, C., Read, J., and Mehta, R. Schizophrenia and borderline personality disorder: Similarities and differences in the experience of auditory hallucinations, paranoia, and childhood trauma, 399
Kinsella, A. *see* Ramperti, N.
Kirkpatrick, B. *see* Miller, B.
Kishon, R. *see* Schneier, F. R.
Kissling, W. *see* Hamann, J.
Klauer, T. *see* Kuwert, P.
Klingberg, S. *see* Wittorf, A.
Klöckner, C. A. *see* Holgersen, K. H.
Klupsch, D. *see* Ladwig, K.-H.
Koenen, K. C. *see* Breslau, N.
Koinis-Mitchell, D. *see* Feldman, J. M.
Koo, M.-L. *see* Siu, B. W.-M.
Kopelowicz, A. *see* Breitborde, N. J. K.
Koponen, H. *see* Miller, B.
Korossy-Horwood, R. *see* Roeger, L.
Krakow, B., Ulibarri, V. A., and Romero, E. Persistent insomnia in chronic hypnotic users presenting to a sleep medical center: A retrospective chart review of 137 consecutive patients, 734
Kramer, L. *see* Ginzburg, K.
Kriegshauser, K., Sajatovic, M., Jenkins, J. H., Cassidy, K. A., Muzina, D., Fattal, O., Smith, D., and Singer, B. Brief report. Gender differences in subjective experience and treatment of bipolar disease, 370
Ku, J. *see* Choi, S-H.
Kuelz, A. K., Stotz, U., Riemann, D., Schredl, M., and Voderholzer, U. Brief report. Dream recall and dream content in obsessive-compulsive patients: Is there a change during exposure treatment?, 593
Kuo, A. A. *see* Feldman, J. M.
Kuwert, P., Klauer, T., Eichhorn, S., Grundke, E., Dudeck, M., Schomerus, G., and Freyberger, H. J. Brief report. Trauma and current posttraumatic stress symptoms in elderly German women who experienced wartime rapes in 1945, 450
Kwok, S. S.-P. *see* Siu, B. W.-M.
L
Ladwig, K.-H., Klupsch, D., Meisinger, C., Baumert, J., Erazo, N., Schneider, A., and Wichmann, H.-E. for the KORA Investigators. Gender differences in risk assessment of death wishes and suicidal ideation in the community: Results from the KORA Augsburg F3 study with 3079 men and women, 35 to 84 years of age, 52
Lagerberg, T. V., Larsson, S., Sundet, K., Hansen, C. B., Hellvin, T., Andreassen, O. A., and Melle, I. Treatment delay and excessive substance use in bipolar disorder, 628
Lahmann, C., Henningsen, P., Schulz, C., Schuster, T., Sauer, N., Noll-Hussong, M., Ronel, J., Tritt, K., and Loew, T. Effects of functional relaxation and guided imagery on IgE in dust-mite allergic adult asthmatics: A randomized, controlled clinical trial, 125
Lam, C. *see* Sansone, R. A.
Lam, C. S. *see* Ribas, A. C.
Large, M. M. (Letter to the Editor) No evidence for improvement in the accuracy of suicide risk assessment, 604
Larøi, F., Fonteneau, B., Mourad, H., and Raballo, A. Brief reoprt. Basic emotion recognition and psychopathology in schizophrenia, 79
Larsen, M. A. *see* Muehlenkamp, J. J.
Larsen, T. K. *see* Melle, I.
Larson, G. E. *see* Booth-Kewley, S.
Larsson, J. L. *see* Nilsson, D.
Larsson, S. *see* Lagerberg, T. V.
Larumbe, J. *see* Ojeda, N.
Lauerma, H. *see* Ahlgrén-Rimpiläinen, A.
Lawson, W. B. *see* Gara, M. A.
LeBlanc, V. *see* Regehr, C.
Lebowitz, B. D. *see* Depp, C. A.
Leboyer, M. *see* Ferchiou, A.
Lee, C-U. *see* Park, M-H.
Lee, C. *see* Park, M-H.
Lee, D. *see* Jeon, H. J.
Lee, H. W. *see* Jeon, H. J.
Lee, J-Y. *see* Jeon, H. J.
Lee, K. K. *see* Yamada, A.-M.
Lee, M-S. *see* Park, M-H.
Lee, Y. M. *see* Jeon, H. J.
Leis, J. A., and Mendelson, T. Intergenerational transmission of psychopathology: Minor *versus* major parental depression, 356
Lentz, V., Robinson, J., and Bolton, J. M. Childhood adversity, mental disorder comorbidity, and suicidal behavior in schizotypal personality disorder, 795
Lesser, I. *see* Gara, M. A.
Levine, S. Z. *see* Lurie, I.
Levy-Shiff, R. *see* Rothschild-Yakar, L.
Lewis, S. *see* Barkus, E.
Lewis, S. P., and Santor, D. A. Self-harm reasons, goal achievement, and prediction of future self-harm intent, 362
Li, O.-L. *see* Siu, B. W.-M.
Lien, R. *see* Gulden, A.
Lincoln, T. M. *see* Mehl, S.
Linscott, R. J. *see* Mullen, R.
Liu, J. *see* Schug, R. A.
Liu, S.-K. *see* Hsiung, P.-C.
Liu, X. *see* Poleshuck, E. L.
Liu, X., Ye, W., Watson, P., and Tepper, P. Use of benzodiazepines, hypnotics, and anxiolytics in major depressive disorder: Association with chronic pain diseases, 544
Lizardi, D., Thompson, R. G., Keyes, K., and Hasin, D. Brief report. The role of depression in the differential effect of childhood parental divorce on male and female adult offspring suicide attempt risk, 687
Lochner, C. *see* Flessner, C. A.
Loew, T. *see* Lahmann, C.
López, S. R. *see* Breitborde, N. J. K.

Lovatt, A., Mason, O., Brett, C., and Peters, E. Psychotic-like experiences, appraisals, and trauma, 813
Lowyck, B. *see* Vermote, R.
Lucas, E. *see* Kingdon, D. G.
Luchins, D. J. Editorial. The future of mental health care and the limits of the behavioral neurosciences, 395
Luedtke, B. *see* Warman, D. M.
Lüllmann, E. *see* Mehl, S.
Lurie, I., and Levine, S. Z. Meta-analysis of dropout rates in SSRIs *versus* placebo in randomized clinical trials of PTSD, 116
Luutonen, S. *see* Mattila, A. K.
Luyten, P. *see* Vermote, R.; Vliegen, N.
Lynch, D. J. *see* McGrady, A.
Lysaker, P. H. *see* Roe, D.; Warman, D. M.
Lysaker, P. H., Tsai, J., Henninger, L. L., Vohs, J. L., and Viverito, K. Decrements in sustained attention across trials in a continuous performance test: Associations with social functioning in schizophrenia, 154
M
Maes, H. H. *see* Vance, T.
Magri, L. *see* Bressi, C.
Mahendra, R. *see* Kingdon, D. G.
Mancini, C. *see* Senaratne, R.
Marder, K. S. *see* Anderson, K. E.
Marinaccio, P. M. *see* Bressi, C.
Markova, T. *see* Porcerelli, J. H.
Marks, D. J. *see* Nomura, Y.
Marschang, A. *see* Thormar, S. B.
Martin, J. M. *see* Warman, D. M.
Marx, M. S. *see* Cohen-Mansfield, J.
Marzola, E. *see* Abbate-Daga, G.
Mason, A. *see* Kingdon, D. G.
Mason, O. *see* Lovatt, A.
Mattila, A. K., Luutonen, S., Ylinen, M., Salokangas, R. K. R., and Joukamaa, M. Alexithymia, human relationships, and mobile phone use, 722
Maulik, P. K., Eaton, W. W., and Bradshaw, C. P. Mediating effect of mental disorders in the pathway between life events and mental health services use: Results from the Baltimore Epidemiologic Catchment Area Study, 187
Mausbach, B. *see* Depp, C. A.
Mausbach, B. T. *see* Tiznado, D.
Mayer, C. *see* Suarez, K.
Mayoral, M. *see* de la Serna, E.
McAuley, E. *see* Motl, R. W.
McCarley, R. W. *see* Nestor, P. G.
McCarroll, J. E. (Book Review) Freeman, S. M., Moore, B. A., and Freeman, A. *Living and Surviving in Harm's Way: A Psychological Treatment Handbook for Pre- and Postdeployment of Military Personnel*, 525
McGlashan, T. *see* Melle, I.
McGlinchey, J. B. *see* Zimmerman, M.
McGrady, A., Lynch, D. J., Nagel, R. W., and Tamburrino, M. Coherence between physician diagnosis and patient self reports of anxiety and depression in primary care, 420
McHugh, T. *see* Forbes, D.
McHugo, G. J. *see* Campbell, K.
McKnight, K. *see* Chaiklin, H.
McWilliams, S. *see* Ramperti, N.
Mehl, S., Rief, W., Lüllmann, E., Ziegler, M., Kesting, M.-L., and Lincoln, T. M. Brief report. Are theory of mind deficits in understanding intentions of others associated with persecutory delusions?, 516
Mehta, R. *see* Kingdon, D. G.
Meier, P. *see* Barrowclough, C.
Meisinger, C. *see* Ladwig, K.-H.
Melle, I. *see* Lagerberg, T. V.; Romm, K. L.
Melle, I., Røssberg, J. I., Joa, I., Friis, S., Haahr, U., Johannessen, J. O., Larsen, T. K., Opjordsmoen, S., Rund, B. R., Simonsen, E., Vaglum, P., and McGlashan, T. The development of subjective quality of life over the first 2 years in first-episode psychosis, 864
Mendel, R. *see* Hamann, J.
Mendelson, T. *see* Leis, J. A.
Meyer, T. D. *see* Wolkenstein, L.
Miettunen, J. *see* Miller, B.
Milicevic, D. *see* Berle, D.
Miller, B., Alaräisänen, A., Miettunen, J., Järvelin, M.-R., Koponen, H., Räsänen, P., Isohanni, M., and Kirkpatrick, B. Advanced paternal age, mortality, and suicide in the general population, 404
Milner, A., and De Leo, D. Who seeks treatment where? Suicidal behaviors and health care: Evidence from a community survey, 412
Mogle, J. A. *see* Gregory, R. J.
Morrison, A. *see* Barkus, E.
Mortensen, E. L. *see* Carlsson, J. M.
Moser, J. S., Cahill, S. P., and Foa, E. B. Brief report. Evidence for poorer outcome in patients with severe negative trauma-related cognitions receiving prolonged exposure plus cognitive restructuring: Implications for treatment matching in posttraumatic stress disorder, 72
Moses, K. *see* Berle, D.
Motl, R. W., McAuley, E., Wynn, D., Suh, Y., Weikert, M., and Dlugonski, D. Symptoms and physical activity among adults with relapsing-remitting multiple sclerosis, 213
Moum, T. *see* Grotmol, K. S.
Mourad, H. *see* Larøi, F.
Muehlenkamp, J. J., Kerr, P. L., Bradley, A. R., and Larsen, M. A. Abuse subtypes and nonsuicidal self-injury: Preliminary evidence of complex emotion regulation patterns, 258
Mullen, R., and Linscott, R. J. A comparison of delusions and overvalued ideas, 35
Müller, B. W. *see* Wittorf, A.
Muzina, D. *see* Kriegshauser, K.
Myer, L. *see* Suliman, S.
N
Nagel, R. W. *see* McGrady, A.
Natelson, B. H. *see* Ciccone, D. S.
Nater, U. M. *see* Suarez, K.
Nestor, P. G. *see* Potter, A. I.
Nestor, P. G., Niznikiewicz, M., and McCarley, R. W. Distinct contribution of working memory and social comprehension failures in neuropsychological impairment in schizophrenia, 206
Newman, J. M., Turnbull, A., Berman, B. A., Rodrigues, S., and Serper, M. R. Impact of traumatic and violent victimization experiences in individuals with schizophrenia and schizoaffective disorder, 708
Nijman, H. *see* Bowers, L.
Nilsson, D., Gustafsson, P. E., Larsson, J. L. and Svedin, C. G. Evaluation of the Linköping Youth Life Experience Scale, 768
Niznikiewicz, M. *see* Nestor, P. G.
Nocito, E. P. *see* Bressi, C.
Noll-Hussong, M. *see* Lahmann, C.
Nomura, Y., Marks, D. J., and Halperin, J. M. Prenatal exposure to maternal and paternal smoking on attention deficit hyperactivity disorders symptoms and diagnosis in offspring, 672
Norman, S. B. *see* Bousman, C. A.
Nrugham, L., Holen, A., and Sund, A. M. Associations between attempted suicide, violent life events, depressive symptoms, and resilience in adolescents and young adults, 131
O
O'Callaghan, E. *see* Ramperti, N.
O'Rourke, K. *see* Crumlish, N.
O'Toole, B. I., Outram, S., Catts, S. V., and Pierse, K. R. Brief report. The mental health of partners of Australian Vietnam veterans three decades after the war and its relation to veteran military service, combat, and PTSD, 841
Ojeda, N., Sánchez, P., Peña, J., Elizagárate, E., Yoller, A. B., Larumbe, J., Gutiérrez, M., Casais, L., and Ezcurra, J. Verbal fluency in schizophrenia: Does cognitive performance reflect the same underlying mechanisms in patients and healthy controls?, 286
Olff, M. *see* Thormar, S. B.
Olsen, D. R. *see* Carlsson, J. M.
Onor, ML., Trevisiol, M., Spano, M., Aguglia, E., and Paradiso, S. Alexithymia and aging: A neuropsychological perspective, 891
Opjordsmoen, S. *see* Melle, I.
Ortega, A. N. *see* Feldman, J. M.
Outram, S. *see* O'Toole, B. I.

P
Palmgren, K. *see* Ahlgrén-Rimpiläinen, A.
Palmieri, P. A. *see* Hall, B. J.
Pan, A.-W. *see* Hsiung, P.-C.
Pananti, B. *see* Smorti, A.
Papsdorf, J. *see* Weidmann, A.
Paradiso, S. *see* Onor, ML.
Park, J. *see* Choi, S-H.
Park, M-H., Kim, T-S., Yim, H-W., Jeong, S. H., Lee, C., Lee, C-U., Kim, J-M., Jung, S-W., Lee, M-S., and Jun, T-Y. Clinical characteristics of depressed patients with a history of suicide attempts: Results from the CRESCEND Study in South Korea, 748
Parker, G. *see* Wilhelm, K.
Parker, R. Review article. Australia's Aboriginal population and mental health, 3
Parslow, R. *see* Forbes, D.
Pastuszak, A. *see* Beblo, T.
Patterson, B. *see* Senaratne, R.
Patterson, T. L. *see* Depp, C. A.; Tiznado, D.
Paulsen, J. S. *see* Anderson, K. E.
Peña, J. *see* Ojeda, N.
Peng, S.-Y. *see* Hsiung, P.-C.
Penn, D. L. *see* Kalyanaraman, S.
Perreira, K. M. *see* Potochnick, S. R.
Perron, B. E., Fries, L. E., Kilbourne, A. M., Vaughn, M. G., and Bauer, M. S. Racial/ethnic group differences in bipolar symptomatology in a community sample of persons with bipolar I disorder, 16
Peters, E. *see* Lovatt, A.
Peuskens, J. *see* Vermote, R.
Picken, A. L., Berry, K., Tarrier, N., and Barrowclough, C. Brief report. Traumatic events, posttraumatic stress disorder, attachment style, and working alliance in a sample of people with psychosis, 775
Pierse, K. R. *see* O'Toole, B. I.
Pincus, J. H. (Book Review) Squire, L. R. *The Historic Neuroscience in Autobiography, Volume 6*, 82
Pirutinsky, S., Rosen, D. D., Shapiro Safran, R., and Rosmarin, D. H. Do medical models of mental illness relate to increased or decreased stigmatization of mental illness among Orthodox Jews?, 508
Poleshuck, E. L., Talbot, N. E., Zlotnick, C., Gamble, S. A., Liu, X., Tu, X., and Giles, D. E. Brief report. Interpersonal psychotherapy for women with comorbid depression and chronic pain, 597
Porcellana, M. *see* Bressi, C.
Porcerelli, J. H., Huprich, S. K., and Markova, T. Mental representations in women with panic disorder: An urban African-American sample, 144
Potochnick, S. R., and Perreira, K. M. Depression and anxiety among first-generation immigrant Latino youth: Key correlates and implications for future research, 470
Potter, A. I., and Nestor, P. G. IQ subtypes in schizophrenia: Distinct symptom and neuropsychological profiles, 580
Pratt, D. *see* Taylor, P. J.
Propper, R. E., Brunyé, T. T., Christman, S. D., and Bologna, J. Brief report. Negative emotional valence is associated with non-right-handedness and increased imbalance of hemispheric activation as measured by tympanic membrane temperature, 691
Pyykkö, I. *see* Ahlgrén-Rimpiläinen, A.
R
Raballo, A. *see* Larøi, F.
Raine, A. *see* Schug, R. A.
Ramperti, N., Anwar, M., Renwick, L., Jackson, D., Foley, S., McWilliams, S., Behan, C., Sutton, M., Kinsella, A., Turner, N., and O'Callaghan, E. First rank symptoms in first episode psychosis and their relationship to the duration of untreated illness, 820
Rapado, M. *see* de la Serna, E.
Räsänen, P. *see* Miller, B.
Read, J. *see* Beavan, V.; Kingdon, D. G.
Regehr, C., LeBlanc, V., Shlonsky, A., and Bogo, M. The influence of clinicians' previous trauma exposure on their assessment of child abuse risk, 614
Regier, N. G. *see* Cohen-Mansfield, J.
Reiter, S. *see* Hamann, J.
Rentzsch, K. *see* Beblo, T.
Renwick, L. *see* Ramperti, N.
Ribas, A. C., and Lam, C. S. Social support and quality of life among Latinos with mental illness, 137
Richey, A. *see* Asnaani, A.
Rief, W. *see* Mehl, S.
Riemann, D. *see* Kuelz, A. K.
Rimpiläinen, I. *see* Ahlgrén-Rimpiläinen, A.
Rizzo, A. *see* Smorti, A.
Robinson, J. *see* Lentz, V.
Robles, O. *see* de la Serna, E.
Rodrigues, S. *see* Newman, J. M.
Rodríguez-Sánchez, J. M. *see* de la Serna, E.
Roe, D., Hassan-Ohayon, I., Derhi, O., Yanos, P. T., and Lysaker, P. H. Talking about life and finding solutions to different hardships: A qualitative study on the impact of narrative enhancement and cognitive therapy on persons with serious mental illness, 807
Roeger, L., Allison, S., Korossy-Horwood, R., Eckert, K. A., and Goldney, R. D. Is a history of school bullying victimization associated with adult suicide ideation? A South Australian population-based observational study, 728
Romero, E. *see* Krakow, B.
Romm, K. L., Rossberg, J. I., Berg, A. O., Barrett, E. A., Faerden, A., Agartz, I., Andreassen, O. A., and Melle, I. Brief report. Depression and depressive symptoms in first episode psychosis, 67
Ronel, J. *see* Lahmann, C.
Roos, R. A. C. *see* van Duijn, E.
Rosa, A. *see* González-Ortega, I.
Rosen, D. D. *see* Pirutinsky, S.
Rosenheck, R. *see* Fontana, A.
Rosmarin, D. H. *see* Pirutinsky, S.
Rossberg, J. I. *see* Romm, K. L.
Røssberg, J. I. *see* Melle, I.
Rothschild-Yakar, L., Levy-Shiff, R., Fridman-Balaban, R., Gur, E., and Stein, D. Mentalization and relationships with parents as predictors of eating disordered behavior, 501
Rounsaville, B. J. (Book Review) Heyman, G. *Addiction: A Disorder of Choice*, 606
Ruggero, C. J. *see* Zimmerman, M.
Rund, B. R. *see* Melle, I.
Rüsch, N., Corrigan, P. W., Todd, A. R., and Bodenhausen, G. V. Implicit self-stigma in people with mental illness, 150
S
Saavedra, J. Quantitative criteria of narrative coherence and complexity in persons with paranoid schizophrenia, 349
Sahoo, S., and Khess, C. R. J. Prevalence of depression, anxiety, and stress among young male adults in India: A dimensional and categorical diagnoses-based study, 901
Sajatovic, M. *see* Kriegshauser, K.
Salokangas, R. K. R. *see* Mattila, A. K.
Sammut, P. *see* Berle, D.
Sánchez, P. *see* Ojeda, N.
Sansone, R. A., Lam, C., and Wiederman, M. W. Brief report. Self-harm behaviors in boderline personality: An analysis by gender, 914
Santor, D. A. *see* Lewis, S. P.
Sartory, G. *see* Wittorf, A.
Sauer, N. *see* Lahmann, C.
Schebitz, M. *see* Hamann, J.
Schlosser, N. *see* Beblo, T.
Schmutte, T., Dunn, C. L., and Sledge, W. H. Predicting time to readmission in patients with recent histories of recurrent psychiatric hospitalization: A matched-control survival analysis, 860
Schneider, A. *see* Ladwig, K.-H.
Schneier, F. R., Belzer, K. D., Kishon, R., Amsel, L., and Simpson, H. B. Brief report. Escitalopram for persistent symptoms of generalized anxiety disorder after CBT: A pilot study, 458
Schomerus, G. *see* Kuwert, P.
Schredl, M. *see* Kuelz, A. K.
Schug, R. A., Yang, Y., Raine, A., Han, C., and Liu, J. Structural and psychosocial correlates of birth order anomalies in schizophrenia and homicide, 870
Schulz, C. *see* Lahmann, C.
Schürhoff, F. *see* Ferchiou, A.

Schuster, T. *see* Lahmann, C.
Schütz, A. *see* Beblo, T.
Seedat, S. *see* Suliman, S.
Senaratne, R., Ameringen, M. V., Mancini, C., and Patterson, B. The burden of anxiety disorders on the family, 876
Serper, M. R. *see* Greenberger, C.; Newman, J. M.
Shannon, K. E. (Book Review) Dimeff, L. A., and Koerner, K. *Dialectical Behavior Therapy in Clinical Practice: Applications Across Disorders and Settings*, 313
Shapiro Safran, R. *see* Pirutinsky, S.
Sharma, M. *see* Bhardwaj, A.
Shear, M. K. *see* White, K. S.
Shlonsky, A. *see* Regehr, C.
Shorter, E. (Book Review) Hirshbein, L. D. *American Melancholy: Constructions of Depression in the Twentieth Century*, 390
Siegel, M. *see* Walkup, J. T.
Simms, L. J. *see* Gros, D. F.
Simon, L. *see* Unoka, Z.
Simonsen, E. *see* Melle, I.
Simpson, H. B. *see* Schneier, F. R.
Singer, B. *see* Kriegshauser, K.
Siu, B. W.-M., Ip, P., Chow, H. M.-T., Kwok, S. S.-P., Li, O.-L., Koo, M.-L., Cheung, E. F.-C., Yeung, T. M.-H., and Hung, S.-F. Impairment of mother-infant relationship: Validation of the Chinese version of postpartum bonding questionnaire, 174
Sledge, W. H. *see* Schmutte, T.
Smith, D. *see* Kriegshauser, K.
Smorti, A., Pananti, B., and Rizzo, A. Autobiography as tool to improve lifestyle, well being, and self-narrative in patients with mental disorders, 564
Somer, E. *see* Ginzburg, K.
Sorsdahl, K. R., and Stein, D. J. Knowledge of and stigma associated with mental disorders in a South African community sample, 742
Spano, M. *see* Onor, ML.
Spring, M. *see* Gulden, A.
Srivastava, C. *see* Bhardwaj, A.
Starcevic, V. *see* Berle, D.
Stefano, S. C. *see* Tirico, P. P.
Stein, D. *see* Rothschild-Yakar, L.
Stein, D. J. *see* Flessner, C. A.; Sorsdahl, K. R.; Suliman, S.
Stirling, J. *see* Barkus, E.
Stotz, U. *see* Kuelz, A. K.
Strakowski, S. M. *see* Gara, M. A.
Stroobants, R. *see* Vermote, R.
Suarez, K., Mayer, C., Ehlert, U., and Nater, U. M. Brief report. Psychological stress and self-reported functional gastrointestinal disorders, 226
Suh, Y. *see* Motl, R. W.
Suliman, S., Stein, D. J., Myer, L., Williams, D. R., and Seedat, S. Disability and treatment of psychiatric and physical disorders in South Africa, 8
Sund, A. M. *see* Nrugham, L.
Sundet, K. *see* Lagerberg, T. V.
Sutton, M. *see* Ramperti, N.
Svedin, C. G. *see* Nilsson, D.
Symons, M. *see* Kingdon, D. G.
Szabó, J. *see* Gerevich, J.
Szöke, A. *see* Ferchiou, A.
T
Talbot, N. E. *see* Poleshuck, E. L.
Talbott, J. A. Editorial. Eugene B. Brody, Editor-in-Chief, 1967–2010, 853
Tamarkin, G. *see* Ginzburg, K.
Tamburrino, M. *see* McGrady, A.
Tang, E. *see* Vliegen, N.
Tarrier, N. *see* Picken, A. L.; Taylor, P. J.
Tasca, G. A. *see* Illing, V.
Taylor, L. *see* Kingdon, D. G.
Taylor, P. J., Awenat, Y., Gooding, P., Johnson, J., Pratt, D., Wood, A., and Tarrier, N. The subjective experience of participation in schizophrenia research: A practical and ethical issue, 343
Teo, A. R., and Gaw, A. C. Hikikomori, a Japanese culture-bound syndrome of social withdrawal? A proposal for DSM-5, 444
Tepper, P. *see* Liu, X.
Thein, K. *see* Cohen-Mansfield, J.
Thompson, R. G. *see* Lizardi, D.
Thormar, S. B., Gersons, B. P. R., Juen, B., Marschang, A., Djakababa, M. N., and Olff, M. Review article. The mental health impact of volunteering in a disaster setting: A review, 529
Tierney, E. *see* Turin, E.
Tirico, P. P., Stefano, S. C., and Blay, S. L. Review article. Validity studies of quality of life instruments for eating disorders: Systematic review of the literature, 854
Tiznado, D., Mausbach, B. T., Cardenas, V., Jeste, D. V., and Patterson, T. L. Brief report. UCSD SORT Test (U-SORT): Examination of a newly developed organizational skills assessment tool for severely mentally ill adults, 916
Todd, A. R. *see* Rüsch, N.
Tölgyes, T. *see* Unoka, Z.
Trevisiol, M. *see* Onor, ML.
Tritt, K. *see* Lahmann, C.
Tsai, J. *see* Lysaker, P. H.
Tu, X. *see* Poleshuck, E. L.
Turin, E., Grados, M. A., Tierney, E., Ferenc, L. M., Zabel, A., and Comi, A. M. Behavioral and psychiatric features of Sturge-Weber syndrome, 905
Turnbull, A. *see* Newman, J. M.
Turner, J. B. *see* Hendin, H.
Turner, N. *see* Ramperti, N.
Twamley, E. W. *see* Bousman, C. A.
Tyssen, R. *see* Grotmol, K. S.
U
Uhmann, S., Beesdo-Baum, K., Becker, E. S., and Hoyer, J. Brief report. Specificity of interpersonal problems in generalized anxiety disorder *versus* other anxiety disorders and depression, 846
Ulibarri, V. A. *see* Krakow, B.
Unoka, Z., Tölgyes, T., Czobor, P., and Simon, L. Eating disorder behavior and early maladaptive schemas in subgroups of eating disorders, 425
V
Vaglum, P. *see* Grotmol, K. S.; Melle, I.
Valiente, C., Espinosa, R., Vázquez, C., Cantero, D., and Fuentenebro, F. World assumptions in psychosis: Do paranoid patients believe in a just world?, 802
van den Bout, J. *see* Boelen, P. A.
van den Hout, M. A. *see* Boelen, P. A.
van der Mast, R. C. *see* van Duijn, E.
van Duijn, E., Giltay, E. J., Zitman, F. G., Roos, R. A. C., and van der Mast, R. C. Measurement of psychopathology in Huntington's disease: The critical role of caregivers, 329
van Tulder, F. *see* Boelen, P. A.
van Wel, E. B. *see* Bos, E. H.
Vance, T., Maes, H. H., and Kendler, K. S. Genetic and environmental influences on multiple dimensions of religiosity: A twin study, 755
Vandeneede, B. *see* Vermote, R.
Vansteelandt, K. *see* Vermote, R.
Vaughn, M. G. *see* Perron, B. E.
Vázquez, C. *see* Valiente, C.
Vega, P. *see* González-Ortega, I.
Vega, W. A. *see* Gara, M. A.
Vella, L. *see* Bousman, C. A.
Verbraak, M. J. P. M. *see* Bos, E. H.
Verhaest, Y. *see* Vermote, R.
Vermote, R., Lowyck, B., Luyten, P., Vertommen, H., Corveleyn, J., Verhaest, Y., Stroobants, R., Vandeneede, B., Vansteelandt, K., and Peuskens, J. Process and outcome in psychodynamic hospitalization-based treatment for patients with a personality disorder, 110
Vertommen, H. *see* Vermote, R.
Vieta, E. *see* González-Ortega, I.
Vinberg, M., Froekjaer, V. G., and Kessing, L. V. Coping styles in healthy individuals at risk of affective disorder, 39
Viverito, K. *see* Lysaker, P. H.
Vliegen, N., Luyten, P., Besser, A., Casalin, S., Kempke, S., and Tang, E. Stability and change in levels of depression and personality: A follow-up study of postpartum depressed mothers that were hospitalized in a mother-infant unit, 45
Voderholzer, U. *see* Kuelz, A. K.

Vohs, J. L. *see* Lysaker, P. H.
Vrinssen, I. *see* Boelen, P. A.
W
Wagner, M. *see* Wittorf, A.
Walkup, J. T., Akincigil, A., Amin, S., Hoover, D., Siegel, M., and Crystal, S. Brief report. Prevalence of diagnosed HIV disease among Medicaid beneficiaries with schizophrenia in U.S. metropolitan areas, 682
Warikoo, N. *see* Kingdon, D. G.
Warman, D. M., Lysaker, P. H., Luedtke, B., and Martin, J. M. Brief report. Self-esteem and delusion proneness, 455
Watson, P. *see* Liu, X.
Wedgwood, L. *see* Wilhelm, K.
Weidmann, A., and Papsdorf, J. Witnessing trauma in the newsroom: Posttraumatic symptoms in television journalists exposed to violent news clips, 264
Weikert, M. *see* Motl, R. W.
Weisæth, L. *see* Holgersen, K. H.
Weisman de Mamani, A. G. Brief report. Self-conscious emotions, general emotional distrerss, and expressed emotion in family members of patients with schizophrenia, 305
Westermeyer, J. *see* Gulden, A.
White, K. S., Allen, L. B., Barlow, D. H., Gorman, J. M., Shear, M. K., and Woods, S. W. Attrition in a multicenter clinical trial for panic disorder, 665
Wichmann, H.-E. *see* Ladwig, K.-H.
Wiedemann, G. *see* Wittorf, A.
Wiederman, M. W. *see* Sansone, R. A.
Wilhelm, K., Wedgwood, L., Parker, G., Geerligs, L., and Hadzi-Pavlovic, D. Predicting mental health and well-being in adulthood, 85
Wilkinson, P. *see* Bhardwaj, A.
Williams, D. R. *see* Suliman, S.
Wilson, D. R. *see* Gara, M. A.
Wissow, L. S. (Book Review) Levav, I. *Psychiatric and Behavioral Disorders in Israel: From Epidemiology to Mental Health Action*, 526
Wittorf, A., Jakobi, U. E., Bannert, K. K., Bechdolf, A., Müller, B. W., Sartory, G., Wagner, M., Wiedemann, G., Wölwer, W., Herrlich, J., Buchkremer, G., and Klingberg, S. Does the cognitive dispute of psychotic symptoms do harm to the therapeutic alliance?, 478
Wolkenstein, L., and Meyer, T. D. Is mood affected by interactions with people at risk for affective disorder?, 576
Wölwer, W. *see* Wittorf, A.
Won, S-H. *see* Jeon, H. J.
Wood, A. *see* Taylor, P. J.
Woods, D. W. *see* Flessner, C. A.
Woods, S. W. *see* White, K. S.
Wynn, D. *see* Motl, R. W.
X
Xie, H. *see* Campbell, K.
Y
Yamada, A.-M., Lee, K. K., Dinh, T. Q., Barrio, C., and Brekke, J. S. Intrinsic motivation as a mediator of relationships between symptoms and functioning among individuals with schizophrenia spectrum disorders in a diverse urban community, 28
Yang, Y. *see* Schug, R. A.
Yanos, P. T. *see* Roe, D.
Ye, W. *see* Liu, X.
Yeung, T. M.-H. *see* Siu, B. W.-M.
Yim, H-W. *see* Park, M-H.
Ylinen, M. *see* Mattila, A. K.
Yoller, A. B. *see* Ojeda, N.
Young, A. (Book Review) Skultans, V. *Empathy and Healing: Essays on Medical and Narrative Anthropology*, 462
Young, D. *see* Zimmerman, M.
Young, M. A. *see* Ben-Zeev, D.
Z
Zabala, A. *see* de la Serna, E.
Zabel, A. *see* Turin, E.
Ziegler, M. *see* Mehl, S.
Zimmerman, M., Galione, J. N., Ruggero, C. J., Chelminski, I., Dalrymple, K., and Young, D. Brief report. Overdiagnosis of bipolar disorder and disability payments, 452
Zimmerman, M., Ruggero, C. J., Galione, J. N., McGlinchey, J. B., Dalrymple, K., Chelminski, I., and Young, D. Detecting differences in diagnostic assessment of bipolar disorder, 339
Zingrone, N. L., Alvarado, C. S., and Cardeña, E. Brief report. Out-of-body experiences and physical body activity and posture: Responses from a survey conducted in Scotland, 163
Zitman, F. G. *see* van Duijn, E.
Zlotnick, C. *see* Poleshuck, E. L.

0022-3018/10/19812–
THE JOURNAL OF NERVOUS AND MENTAL DISEASE
Copyright © 2010 by Lippincott Williams & Wilkins
Vol. 198, No. 12
Printed in U.S.A.

Subject Index Volume 198

Abdominal pain, child health problems, psychiatric and psychological factors, 272
Adolescents
  cannabis use, first episode of psychosis and, 159
  first generation Latino youth, depression and anxiety among, 470
  intolerance of uncertainty, 194
  male, depression, anxiety, stress, India, 901
  substance use, ethnicity effects, 432
Adult offspring, depression and suicide attempt, after parental divorce, 687
Affective disorder
  coping styles, healthy individuals at risk, 39
  first rank symptoms in psychosis, duration of untreated illness and, 820
  people at risk, interactions with, 576
African Americans, panic disorder, representations in, women, 144
Aging
  alexithymia and, neurocognitive abilities, 891
  onset of hair-pulling symptoms, 896
Alcohol use disorders, co-occurring with BPD, psychotherapy *versus* community care, 292
Alexithymia
  aging and, neurocognitive abilities, 891
  mobile phone use and, 722
Allergic asthma, relaxation and imagination techniques, effects on IgE, 125
Altered states of consciousness, physical body activity and, survey in Scotland, 163
Ambulatory monitoring, mobile device, in severe mental illness, 715
Anorexia nervosa, attachment insecurity and, treatment outcomes in women, 653
Antisocial behavior, military misconduct, psychosocial predictors, 91
Anxiety
  depression and, first generation Latino youth, 470
  late mental health changes, tortured refugees, 824
  predicting mental health, in adulthood, 85
  psychological inoculation effects, continuous war stress, 382
  self-reported, coherence with physician diagnosis, 420
  symptoms in PTSD, treatment-seeking veterans, 885
  trauma-related cognitions, treatment matching in PTSD, 72
  young male adults, India, 901
Anxiety disorders
  burden in families, 876
  depression and, psychodynamic psychotherapy, 647
  interpersonal problems in, specificity of, 846
  lifetime prevalence rates, cross-ethnic comparison, 551
Anxiolytics, chronic pain and, in major depressive disorder, 544
Appraisals, psychotic-like experiences, 813
Asthma, child health problems, psychiatric and psychological factors, 272
Attachment
  client, to mental health services, 572
  insecurity
    in eating disorders, 520
    eating disorders in women and, 653
  prediction of recovery in PTSD, combat veterans, 881
  style in parents, child abuse and, 619
Attention deficit hyperactivity disorder (ADHD)
  prenatal smoking exposure, maternal and paternal, 672
  social functioning and, in schizophrenia, 154
Attention deficits, schizophrenia, continuous performance test, 154
Attrition, multicenter clinical trial, panic disorder, 665
Auditory hallucinations
  importance of voice content, 201
  schizophrenia, BPD and, similarities and differences, 399
Australian Aboriginal population, mental health and, 3
Autobiography, tool to improve lifestyle, psychiatric patients, 564

Baltimore Epidemiologic Catchment Area Study, mental disorders as mediators, mental health service use, 187
Beck Cognitive Insight Scale (BCIS), clinical and cognitive insight, acute schizophrenia, 465
Behavioral neurosciences, future of mental health care, editorial, 395
Behavior disorders, Sturge-Weber syndrome and, 905
Benzodiazepines, chronic pain and, in major depressive disorder, 544
Binge eating, early maladaptive schemas and, 425
Bipolar disorder
  detecting differences in diagnosis, 339
  first episode psychosis, functioning assessment short test, 836
  overdiagnosis, disability payments and, 452
  repetitive transcranial magnetic stimulation, naturalistic study, 679
  suicidal ideation and, Korean nationwide study, 643
  symptoms, racial/ethnic differences, 16
  treatment adherence, gender differences, 370
  treatment delay effects, substance abuse, 628
Birth order, anomalies, in schizophrenia and homicide, 870
Body dissatisfaction, attachment insecurity and, in eating disorders, 520
Books reviewed
  Alexander, B. K. *The Globalization of Addiction. A Study in Poverty of the Spirit*, 462
  Chadwick, P. K. *Schizophrenia: The Positive Perspective. Explorations at the Outer Reaches of Human Experience*, 391
  Chaiklin, S. and Wengrower, H. (Eds) *The Art and Science of Dance-Movement Therapy: Life is to Dance*, 235
  Depp, C. A. and Jeste, D. V. (Eds) *Successful Cognitive and Emotional Aging*, 235
  Dimeff, L., Koerner, K. (Eds) *Dialectical Behavior Therapy in Clinical Practice: Applications Across Disorders and Settings*, 313
  Freeman, S. M., Moore, B. A., Freeman, A. (Eds) *Living and Surviving in Harm's Way*, 525
  Gray, A. L. *Class and Personality in Society*, 235
  Heyman, G. *Addiction: A Disorder of Choice*, 606
  Hirschbein, L. D. *American Melancholy: Constructions of Depression in the Twentieth Century*, 390
  Hood, B. M. *Supersense. Why We Believe in the Unbelievable*, 235
  Hrdy, S. B. *How Mothers and Others Make Us Human*, 169
  Jackson, H, J., McGorry, P. C. (Eds) *The Recognition and Management of Early Psychosis*, 696
  Johnson, D. E. *Compendium of Psychosocial Measures: Assessment of People With Serious Mental Illness in the Community*, 312
  Kendall-Tackett, K. (Ed) *The Psychoneuroimmunology of Chronic Disease. Exploring the Links Between Inflammation, Stress, and Illness*, 235
  Kilshaw, S. *Impotent Warriors. Gulf War Syndrome Vulnerability and Masculinity*, 391
  Levav, I. (Ed.) *Psychiatric and Behavioral Disorders in Israel: From Epidemiology to Mental Health Action*, 526
  Mathews, D. J. H., Bok, H., Rabins, P. V. *Personal Identity and Fractured Selves*, 607
  Palfrey, J., Glasser, U. *Born Digital: Understanding the First Generation of Digital Natives*, 167
  Rappaport, N. *In Her Wake: A Child Psychiatrist Explores the Mystery of Her Mother's Suicide*, 312
  Ruiz, P., Primm A. (Eds) *Disparities in Psychiatric Care. Clinical and Cross-Cultural Perspectives*, 390
  Sharan, P, et al. *Research Capacity for Mental Health in Low- and Middle-Income Countries: Results of a Mapping Project*, 82
  Skultans, V. *Empathy and Healing: Essays on Medical and Narrative Anthropology*, 462

Slade, M. *Personal Recovery and Mental Illness. A Guide for Mental Health Professionals*, 235
Smail, D. L. *On Deep History and the Brain*, 234
Squire, L. R. *The History of Neuroscience in Autobiography, Vol. 6*, 82
Von Korff, M. R., Scott, K. M., Gureje O (Eds) *Global Perspectives on Mental-Physical Comorbidity in the WHO World Mental Health Surveys*, 391
Borderline personality disorder (BPD)
dynamic deconstructive psychotherapy, *versus* community care, 292
emotional intelligence in, self-report, 385
emotional predictability, problem solving and, 299
schizophrenia and, similarities and differences, 399
self-harm in, 914
Boricua Youth Study, physical health problems, psychiatric and psychological factors with, 272
Brain imaging, birth order anomalies, schizophrenia and homicide, 870
Bulimia nervosa, attachment insecurity and, treatment outcomes in women, 653
Bullying, history of, adult suicidal ideation relations, 728

Cannabis, cognitive functioning and, first episode of psychosis, children and adolescents, 159
Capacity for Dynamic Process Scale (CDPS), psychodynamic psychotherapy, patient personality, 59
Caregivers, Huntington's disease, 329
Catastrophic misinterpretations, grief, emotional distress after loss, 252
Child abuse
assessment of risk, clinician's previous trauma effects, 614
attachment style of parental abuser, 619
BPD and schizophrenia, similarities and differences, 399
suicidal behavior and, schizotypal personality disorder, 795
Children
adverse circumstances, Linköping Youth Life Experience Scale, 768
cannabis use, first episode of psychosis and, 159
health problems, psychiatric and psychological factors, 272
maltreatment, unrecognized dissociative disorders, 378
Chronic fatigue syndrome, illness trajectories, 486
Chronic pain
depression and, interpersonal psychotherapy for women, 597
major depressive disorder and, use of hypnotics/sedatives, 544
Clinical trials
dropout rates, SSRI *vs.* placebo, PTSD, 116
naturalistic, rTMS for major depression and BPD, 679
Cognition
cannabis effects, first episode of psychosis, children and adolescents, 159
Huntington's disease, obsessive-compulsive symptoms, 334
trauma-related, treatment matching in PTSD, 72
Cognitive behavior therapy (CBT)
clinical trial, attrition, 665
dispute of psychotic symptoms, effects on therapeutic alliance, 478
generalized anxiety after, escitalopram for, 458
substance use and psychosis, prediction of therapeutic alliance, 373
Cognitive deficits
recurrent depression and, euthymic patients, 513
schizophrenia, 580
Coherence, in paranoid schizophrenia, 349
Collaborative psychiatric epidemiology surveys (CPES), cross-ethnic comparison, anxiety disorders, 551
Combat
attachment style effects, PTSD treatment, veterans, 881
military misconduct, psychosocial predictors of, 91
Vietnam veterans, PTSD, mental health of partners, Australia, 841
Community survey, help-seeking behavior, suicide attempts, 412
Comorbidities
chronic fatigue syndrome, fibromyalgia and, illness trajectories, 486
depression and chronic pain, interpersonal psychotherapy for, 597
Huntington's disease, obsessive-compulsive symptoms, 334
Complicated grief. *see* Prolonged grief disorder
Comprehensive Process Model of Engagement, persons with dementia, 586
Continuous Performance Test (CPT), attentional deficits, in schizophrenia, 154
Coping
affective disorder, individuals at risk, 39
attentional deficits, in schizophrenia, 154
depression, prediction of future and, 362
psychological stress, functional GI disorders and, 226
Culture
differences, lifetime prevalence rates of anxiety disorders, 551
safety and mental illness, Australian Aboriginal population, 3
social withdrawal syndrome, Hikikomori, 444

Dance, social partnered, for severe mental illness, 76
Deafness, schizophrenia and, linguistic ability, 634
Defense mechanisms, parental, child abuse and, 619
Delusions
comparison with overvalued ideas, 35
persecutory, theory of mind deficits, 516
proneness to, self-esteem and, 455
Dementia, promoting engagement, social attributes of stimuli for, 586
Dependency, in postpartum depression, 45
Depression
anxiety and
first generation Latino youth, 470
psychodynamic psychotherapy, 647
chronic pain and, interpersonal psychotherapy for women, 597
in first episode psychosis, 67
history of suicide attempts, clinical characteristics, 748
hospitalized patients, recall of symptoms, 280
interpersonal problems in, specificity of, 846
intolerance of uncertainty, in adolescents, 194
late mental health changes, tortured refugees, 824
major
chronic pain, use of hypnotics and sedatives, 544
repetitive transcranial magnetic stimulation, naturalistic study, 679
offspring, after parental divorce, 687
parental, intergenerational transmission, 356
partners of Vietnam Veterans, Australia, 841
postpartum, personality effects on stability, 45
predicting mental health, in adulthood, 85
predicting suicidal behavior, role of intense affects, veterans, 220
predictors of, parental bonding and self-esteem, 22
recurrent, cognitive deficits in, 513
relapsing-remitting MS, adults, 213
self-reported, coherence with physician diagnosis, 420
social dance in treatment, 76
suicidal ideation and, adult, history of school bullying and, 728
symptoms in PTSD, treatment-seeking veterans, 885
victims or witnesses of violence, suicide attempts and, 131
young male adults, India, 901
Disability
overdiagnosis of bipolar disorder, payments for, 452
psychiatric and physical disorders, treatment in South Africa, 8
Disaster
initial stress response, predicting long-term stress and, 230
volunteering in, mental health impact, 529
Dissociative disorders, unrecognized, inpatient psychiatry, 378
Doctor-patient relationship, prediction of patient preferences, effects on outcome, 309
Dreams, in OCD patients, 593
Dysphoria, symptoms in PTSD, treatment-seeking veterans, 885

Early maladaptive schemas, in subgroups of eating disorders, 425
Eating disorders
  attachment insecurity and, treatment outcomes in women, 653
  body dissatisfaction, attachment insecurity and personality in, 520
  predictors of, mentalization abilities, 501
  quality of life studies, 854
  subgroups, early maladaptive schemas and, 425
Editorials
  Eugene B. Brody, Editor-in-Chief, 1967–2010, 853
  future of mental health care, 395
Emotional intelligence (EI), effects of BPD, self-report, 385
Emotions
  basic recognition, in schizophrenia, 79
  complex, inconsistent diagnoses of schizophrenia, 609
  expressed, outcomes of schizophrenia and, 105
  negative, deficits in eye gaze, schizophrenia patients, 829
  negative valence, handedness effects, 691
  persecutory delusions, theory of mind deficits and, 516
  regulation patterns, nonsuicidal self-injury and, 258
  self-conscious, family members of schizophrenia patients, 305
Empathy, perceptions of schizophrenia, effects of virtual reality simulator, 437
Engagement, promotion, dementia patients, 586
Environment, religiosity and, multivariate analysis, 755
Epidemiology
  advanced paternal age, effects on mortality and suicide rates, 404
  schizophrenia, inconsistent diagnosis, 609
Escitalopram, for generalized anxiety disorder, after cognitive behavior therapy, 458
Ethnicity
  anxiety disorders, lifetime prevalence rates, 551
  differences, bipolar symptomatology, 16
  mediation model, schizophrenia spectrum disorders, 28
  substance use and, Roma adolescents, 432
Euthymia, recurrent depression, cognitive deficits in, 513
Executive function, recurrent depression and, euthymic patients, 513
Exercise
  in relapsing-remitting MS, adults, 213
  social dance, for serious mental illness, 76
Experience sampling method, recall of depression symptoms, hospitalized patients, 280
Experiential avoidance, grief, emotional distress after loss, 252
Eye gaze, deficits, negative social interactions, schizophrenia patients, 829

Facial expression, recognition, in schizophrenia, 79
Family, mentally ill patients, impact and burden, 876
Family conflict, inpatient suicide and, systematic review, 315
Family practice, diagnosis of depression and anxiety, coherence with patient self-reports, 420
Fatigue, relapsing-remitting MS, adults, 213
Fibromyalgia, chronic fatigue, illness trajectories, 486
Functioning assessment short test, first episode psychosis, 836

Gastrointestinal disorders, functional, psychological stress and, 226
Gender differences
  depression, in first episode psychosis, 67
  ethnicity and, substance use in Roma adolescents, 432
  panic disorder, representations in, women, 144
  risk for suicidal ideation, 52
  self-harm behavior, borderline personality disorder and, 914
  treatment adherence, in bipolar disorder, 370
Generalized anxiety disorder
  after cognitive behavior therapy, escitalopram for, 458
  interpersonal problems in, specificity of, 846
Genetics, religiosity, multivariate analysis, 755
Goal achievement, prediction of future, in self-harm, 362
Grief, experiential avoidance of, 252
Guilt, emotional distress, family members of schizophrenia patients, 305

HADStress screen, for PTSD, Ethiopian refugees, 762
Hair-pulling, pathological, age of onset of symptoms, 896
Hallucinations, auditory, BPD and schizophrenia, 399
Handedness, negative emotional valence and, measured by tympanic membrane temperature, 691
Headache, child health problems, psychiatric and psychological factors, 272
Helplessness, psychological inoculation effects, continuous war stress, 382
Help-seeking behavior, suicide attempt, community survey, 412
Hikikomori, culture-bound syndrome, 444
Homelessness, neuropsychological impairment, outpatient treatment, 790
Homicide, schizophrenia, birth order anomalies, 870
Hospitalization
  inpatient suicide, systematic review, 315
  psychiatric history of, time to readmission, 860
  psychodynamic treatment, in personality disorder, 110
Human immunodeficiency disorder (HIV), schizophrenia with, Medicaid beneficiaries, 682
Huntington's disease
  obsessive-compulsive symptoms in, 334
  psychopathology, 329
Hypnotics
  chronic pain and, in major depressive disorder, 544
  chronic users, persistent insomnia and, 734
Hypomanic personality, mood affected by interactions, 576

Imagery, effects on IgE, allergic asthma, 125
Immunoglobulin E (IgE), allergic asthma, relaxation and imagination techniques, 125
Implicit Association Test, self-stigma, people with mental illness, 150
Individual placement service (IPS), client predictors of outcomes, 556
In Memoriam, Eugene B. Brody, 393
Insight
  clinical and cognitive, acute schizophrenia, 465
  personality effects, psychotherapy outcome, 59
Insomnia, persistent, in chronic hypnotic users, 734
Intelligence quotient (IQ), subtypes, in schizophrenia, 580
Intense affects, suicidal behavior and, veterans, 220
Interpersonal behavior, affective disorders, mood affected by interactions, 576
Interpersonal problems, specificity of, anxiety and depression, 846
Interpersonal relationships, alexithymia, mobile phone use and, 722
Intolerance of uncertainty, worry, anxiety, depression correlations, in adolescents, 194
Israeli-Hezbollah War, 2006, terrorism effects on growth, 180

Kessler-10 Questionnaire, treatment-seeking behavior, 660

Latinos
  first generation youth, depression and anxiety, 470
  mental illness in, social support and quality of life, 137
Letters to the editor, 166
Life events, mental disorders as mediators, 187
Life narrative, coherence, in paranoid schizophrenia, 349
Linguistic ability, deafness, schizophrenia and, 634
Linköping Youth Life Experience Scale, evaluation of, 768

Mastery, stigma and, schizophrenia patients, Taiwan, 494
Media, television journalists, witnessing violent news clips, PTSD and, 264
Mediation model, symptoms and functioning, in schizophrenia spectrum disorders, 28
Medicaid, schizophrenia patients, with HIV, 682
Memory
  alexithymia, aging and, 891
  intrusive, witnessing violent news clips, PTSD and, 264
  verbal, in schizophrenia, 286
Mental health
  associated disability, treatment in South Africa, 8
  Australian Aboriginal population, 3
  first generation Latino youth, depression and anxiety among, 470
  partners of Vietnam Veterans, Australia, 841

physical health problems and, children, 272
prediction, in adulthood, 85
volunteering, in a disaster setting, 529
Mental health care, limits of behavioral neurosciences, editorial, 395
Mental health services
client attachment to, 572
mental disorders as mediators, 187
Mental illness
anxiety disorders, burden in families, 876
Australian Aboriginal population, 3
autobiography as a tool, lifestyle and well being, 564
duration of untreated illness, first rank symptoms in psychosis, 820
implicit self-stigma in, 150
mediating effects, life events and mental health service use, 187
quality of life, social support and, Latinos, 137
serious and persistent, social dance for, 76
severe
adults, U-SORT validity in, 916
mobile interventions, 715
narrative enhancement and cognitive therapy, 807
predictors of outcomes in IPS, 556
previous admissions and time to readmission, 860
stigma of, medical model effects, Orthodox Jews, 508
stigma of, South African community sample, 742
Mentalization, parental relationships and, predictors of eating disorders, 501
Mental representations, in panic disorder
African American women, 144
women, 144
Meta-analysis, dropout rates, SSRI *vs.* placebo, PTSD, 116
Metacognitive beliefs, distress and, psychosis prone individuals, 99
Mexican-Americans, schizophrenia, expressed emotion effects on outcome, 105
Military personnel, misconduct, psychosocial predictors of, 91
Mobile device, psychosocial interventions, in severe mental illness, 715
Mood disorders, coping styles, healthy individuals at risk, 39
Mood disorders questionnaire, bipolar disorder and, 339
Mortality, suicide and, effects of advanced paternal age, 404
Mother-infant relationship, impairment, postpartum bonding questionnaire, 174
Motivational interviewing, substance use and psychosis, prediction of therapeutic alliance, 373
Motor signs, Huntington's disease, obsessive-compulsive symptoms, 334
Multiple sclerosis (MS), relapsing-remitting, adults, 213
Multivariate analysis, religiosity, 755

Narrative Enhancement and Cognitive Therapy, in serious mental illness, 807
National comorbidity survey-replication (NCS-R), cross-ethnic comparison, anxiety disorders, 551
National Epidemiological Survey on Alcohol and Related Conditions (NESARC), schizotypal personality disorder and, 795
Neurocognition, verbal fluency, in schizophrenia, 286
Neuropsychology
alexithymia, aging and, 891
homelessness, outpatient treatment, 790
impairment, in schizophrenia, 206
Nursing home, dementia patients, promoting engagement, 586

Obsessive-compulsive disorder (OCD)
dream recall and content, 593
symptoms in Huntington's disease, 334
Offspring, parents with depression, intergenerational transmission, 356
Oppositional defiant disorder (ODD), prenatal smoking exposure, maternal and paternal, 672
Optimism, mental health and, in adulthood, 85
Organizational skills, severe mental illness, U-SORT use in, 916
Orthodox Jews, stigma of mental illness, medical model effects, 508
Outcomes
eating disorders, attachment insecurity and, women, 653
employment, predictors in high-fidelity supported employment, 556
first episode of psychosis, quality of life after, 864
functional, in schizophrenia spectrum disorders, 28
initial stress response and, PTSD scale, 230
psychodynamic psychotherapy
depressive and anxiety disorders, 647
personality effects, 59
psychodynamic treatment, personality disorders, 110
schizophrenia, effects of expressed emotion, 105
Out-of-body experiences, physical body activity and, survey in Scotland, 163
Overdiagnosis, bipolar disorder, disability payments and, 452
Overvalued ideas, comparison with delusions, 35

Panic disorder
multicenter clinical trial, attrition in, 665
representations, women, 144
Paranoia
BPD and schizophrenia, similarities and differences, 399
world assumptions of patients, 802
Parental bonding
postpartum depression effects, mother-infant relationship, 174
predictor of depressive symptoms, 22
Parental depression, intergenerational transmission, 356
Parental divorce, depressive effect on offspring, suicide attempts, 687
Parental relationships, mentalization abilities and, predictors of eating disorders, 501
Paternal age, advanced, mortality and suicide, 404
Patient autonomy, participation preferences, prediction of, 309
Personality
attachment insecurity and body dissatisfaction, in eating disorders, 520
depression and, inpatient postpartum mothers, 45
outcome and, short-term psychodynamic psychotherapy, 59
Personality disorders
cluster B, PTSD and, 795
psychodynamic hospitalization-based treatment, process and outcome, 110
Physical abuse, subtypes, nonsuicidal self-injury and, 258
Physical health, disability and psychiatric treatment, South Africa, 8
Physical movement, out-of-body experiences and, survey in Scotland, 163
Physicians, depressive symptoms, parental bonding and self-esteem as predictors, 22
Portwine birthmark, Sturge-Weber syndrome, behavioral and psychiatric features, 905
Postpartum Bonding Questionnaire, Chinese version, validation of, 174
Postpartum depression
impairment of mother-infant relationship, 174
personality effects, stability and levels of depression, 45
Posttraumatic stress disorder (PTSD)
Australian Vietnam Veterans, mental health of partners, 841
clinician, assessment of child abuse risk and, 614
HADStress for, Ethiopian refugees, 762
interpersonal problems in, specificity of, 846
late mental health changes, tortured refugees, 824
in psychosis sample, 775
review of treatments, refugees, 237
scale, predicting long-term stress, 230
schizotypal personality disorder and, 795
specificity of symptoms, treatment-seeking veterans, 885
SSRI *versus* placebo, dropout rates, 116
television journalists, witnessing violent news clips, 264
terrorism, effects on growth, 180
9/11 terrorist attack, indirect exposure, 539
treatment, attachment style effects, combat veterans, 881
treatment matching in, 72
victim of violent victimization, schizophrenia or schizoaffective disorder patients, 708
wartime rape, very elderly German women, 450
war zone veterans, return to treatment, 699

Posture
control, schizophrenia patients, 601
out-of-body experiences and, survey in Scotland, 163
Prolonged grief disorder, experiential avoidance, emotional distress after loss, 252
Psychiatric disorders, military misconduct, psychosocial predictors of, 91
Psychodynamic treatment, personality disorder, process and outcome, 110
Psychological distress, treatment-seeking, Kessler-10 Questionnaire, 660
Psychological inoculation, effects on mental resilience, continuous war stress, 382
Psychopathology
basic emotion recognition and, in schizophrenia, 79
Dutch STEPPS trial, borderline personality disorder, 299
Huntington's disease, 329, 334
intergenerational transmission, 356
unrecognized, dissociative disorders in inpatients, 378
war zone veterans with PTSD, returning to treatment, 699
Psychosis
acute schizophrenia, clinical and cognitive insight, 465
auditory hallucinations, importance of voice content, 201
delusions and overvalued ideas, comparison, 35
dispute of symptoms, effects on therapeutic alliance, 478
first episode
cognitive functioning, children and adolescents, 159
depression in, 67
first rank symptoms in, 820
functioning assessment short test, 836
subjective quality of life after, 864
mental health services, client attachment to, 572
models, effects of appraisals and trauma, 813
proneness, distress and metacognition, 99
PTSD with, 775
substance misuse and, predicting therapeutic alliance, 373
victim of violent victimization, PTSD, 708
world assumptions of patients, 802
Psychosocial predictors, military misconduct, 91
Psychosocial rehabilitation, mediation model, schizophrenia spectrum disorders, 28
Psychotherapy
autobiography as a tool, lifestyle and well being, 564
Dutch STEPPS trial, borderline personality disorder, 299
dynamic deconstructive, *versus* community care, in BPD, 292
interpersonal, women with chronic pain and depression, 597
outpatient, prevalence and characteristics, 783
psychodynamic
depressive and anxiety disorders, 647
personality effects on outcome, 59
PTSD, refugees and asylum-seekers, 237
Purging behavior, early maladaptive schemas and, 425

Quality of life
Dutch STEPPS trial, borderline personality disorder, 299
implicit self-stigma, people with mental illness, 150
late mental health changes, tortured refugees, 824
mastery and stigma effects, schizophrenia patients, Taiwan, 494
objective, after first episode of psychosis, 864
social support and, Latinos with mental illness, 137
studies, eating disorders, 854

Racial differences, bipolar symptoms, community sample, 16
Rape, wartime, very elderly German women, PTSD, 450
Raven Colored Progressive Matrices, alexithymia, aging and, 891
Refugees
Ethiopian, posttraumatic stress, HADStress for, 762
PTSD in, 237
tortured, late mental health changes, 824
Relaxation techniques, effects on IgE, allergic asthma, 125
Religiosity, multiple dimensions of, genetic and environmental influences, 755
Repetitive transcranial magnetic stimulation (rTMS), duration, major depression and BPD, 679
Research ethics, schizophrenia, 343
Resilience, psychological inoculation effects, continuous war stress, 382
Retrospective recall, depression symptoms, hospitalized patients, 280
Rey's Complex Figure, alexithymia, aging and, 891
Risk factors
history of suicide, depressed patients, 748
prediction of suicide, accuracy, letter, 604
suicidal behavior, role of intense affects, veterans, 220
suicidal ideation, gender differences, 52

Schizoaffective disorders
adults, U-SORT validity in, 916
victim of violent victimization, PTSD, 708
Schizophrenia
acute, clinical and cognitive insight, 465
adults, U-SORT validity in, 916
at-risk mental states and, metacognition, 99
attentional deficits in, social functioning and, 154
BPD and, similarities and differences, 399
deafness and, linguistic ability, 634
dispute of psychotic symptoms, effects on therapeutic alliance, 478
family members of patients, shame and guild proneness, 305
first episode psychosis
depression in, 67
first rank symptoms in, 820
functioning assessment short test, 836
HIV disease and, Medicaid beneficiaries, 682
homicide and, birth order anomalies, 870
inconsistent diagnosis, role of complex emotions in, 609
IQ subtypes, 580
mastery and stigma, quality of life and, Taiwan, 494
negative social interactions, deficits in eye gaze, 829
neuropsychological impairment, 206
paranoid, narrative coherence in, 349
participation in research, ethics, 343
patient participation preferences, prediction of, 309
perceptions, effects of virtual reality simulator, 437
persecutory delusions, theory of mind deficits and, 516
postural control, visual information effects, 601
psychopathology, basic emotion recognition and, 79
selective attention impairment in, 779
verbal fluency in, 286
victim of violent victimization, PTSD, 708
world assumptions of psychotic patients, 802
Schizophrenia spectrum disorders, symptoms and functioning, intrinsic motivation and, 28
Schizotypy
expressed emotion in, outcomes in Mexican-Americans, 105
high, compared to at-risk mental state, 99
personality disorder, childhood adversity, mental disorder, and suicidal behavior, 795
Seizures, Sturge-Weber syndrome, behavioral and psychiatric features, 905
Selective attention, impairment, in schizophrenia, 779
Self-esteem
delusion proneness and, 455
implicit self-stigma, mental illness, 150
predictor of depressive symptoms, 22
Self-Harm inventory, borderline personality disorder and, 914
Self-injury
borderline personality disorder and, 914
goal achievement, prediction of future and, 362
nonsuicidal, abuse subtypes and, 258
Self-reporting
anxiety and depression, coherence with physician diagnosis, 420
emotional intelligence, in BPD, 385
functional GI disorders, psychological stress and, 226

Self-stigma
implicit, mental illness, 150
quality of life and, schizophrenia patients in Taiwan, 494
severe mental illness, narrative enhancement and cognitive therapy, 807
Sensory deprivation, short-term, psychotomimetic effects, letter, 166
Serotonin specific reuptake inhibitors (SSRI)
for generalized anxiety, after cognitive behavior therapy, 458
in PTSD, meta-analysis of dropout rates, 116
Sexual abuse, subtypes, nonsuicidal self-injury and, 258
Sexual violence, wartime, very elderly German women, PTSD, 450
Shame, emotional distress, family members of schizophrenia patients, 305
Shared decision making, prediction of patient preferences, effects on outcome, 309
Simulation, virtual, effects on perceptions of schizophrenia, 437
Sleep medical center, persistent insomnia, in chronic hypnotic users, 734
Smoking, prenatal maternal and paternal, ADHD and ODD diagnosis, 672
Social anxiety, in adolescents, 194
Social comprehension, working memory and, neuropsychology in schizophrenia, 206
Social functioning
impaired, deficits in eye gaze, schizophrenia patients, 829
war zone veterans with PTSD, returning to treatment, 699
Social support, quality of life and, Latinos with mental illness, 137
Social withdrawal, Hikikomori, culture-bound syndrome, 444
Sociodemographics, outpatient psychotherapy patients, 783
South Africa
psychiatric and physical disorders, associated disability, 8
stigma of mental illness, community sample, 742
Stigma, mental illness
medical model effects, Orthodox Jews, 508
South African community sample, 742
Stress
coping styles, high-risk sample, 39
psychological, functional GI disorders and, 226
young male adults, India, 901
Sturge-Weber syndrome, behavioral and psychiatric features, 905
Substance use
ethnicity effects, Roma adolescents, 432
excessive, treatment delay for bipolar disorder and, 628
psychosis and, prediction of therapeutic alliance, 373
Suicidal ideation
adult, history of school bullying and, 728
lifetime prevalence, Korean nationwide study, 643
predicting behavior, intensive affects in, 220
risk, gender differences, 52
schizotypal personality disorder and, 795
who seeks help, community survey, 412
Suicide
attempted, violence and, adolescents and young adults, 131
Australian Aboriginal population, 3
history of attempts, depressed patients, 748
inpatient, systematic review, 315
mortality and, effects of advanced paternal age, 404
offspring, after parental divorce, 687
risk assessment, accuracy, letter, 604
schizophrenia, participation in research, 343
Supported employment, high-fidelity, predictors of outcomes, 556
Systems Training for Emotional Predictability and Problem Solving (STEPPS), Dutch version, for BPD, 299

Terrorism
9/11 attack, PTSD and indirect exposure, 539
PTSD
effects on growth, 180
witnessing violent news clips in the newsroom, 264
Theory of mind
deafness, schizophrenia and, linguistic ability, 634
deficits, persecutory delusions and, 516
Therapeutic alliance
course of, dispute of psychotic symptoms, 478
prediction, substance misuse and psychosis, 373
Trauma
growth after, effects of PTSD, 180
media-transmitted, 9/11 attack, PTSD and indirect exposure, 539
psychotic-like experiences, 813
PTSD, in psychosis sample, 775
severe cognitions, treatment matching in PTSD, 72
victims or witnesses, suicide attempts and, 131
wartime rate, very elderly German women, PTSD, 450
workplace, assessment of child abuse risk and, 614
Traumatic life events, Linköping Youth Life Experience Scale, 768
Treatment adherence, gender differences, in bipolar disorder, 370
Treatment delay, bipolar disorder, excessive substance use and, 628
Treatment matching, in PTSD, 72
Treatment-seeking, Kessler-10 Questionnaire, 660
Trichotillomania, age of onset of symptoms, 896
Tympanic membrane temperature, handedness effects, negative emotional valence, 691

University of California, San Diego Sorting Test (U-SORT), use in severe mental illness, adults, 916

Validation, treatment-seeking behavior, Kessler-10 Questionnaire, 660
Verbal fluency, in schizophrenia, 286
Veterans
combat, attachment style effects in PTSD treatment, 881
predicting suicidal behavior, role of intense affects, 220
treatment-seeking, specificity of symptoms in PTSD, 885
war zone, PTSD, return to treatment, 699
Violence
sexual, very elderly German women, PTSD, 450
victimization, effects on schizophrenic patients, 708
victims or witnesses, suicide attempts and, 131
Virtual reality simulator, effects on perceptions of schizophrenia, 437
Visual component, postural control, schizophrenia patients, 601
Voice content, importance, in auditory hallucinations, 201
Volunteering, in a disaster setting, mental health impact, 529

War, continuous threat, effects on mental resilience, psychological inoculation and, 382
Well-being, psychological, prediction in adulthood, 85
Working alliance, PTSD, in psychosis sample, 775
Working memory
social comprehension and, neuropsychology in schizophrenia, 206
verbal fluency, in schizophrenia, 286
Worry, intolerance of uncertainty, in adolescents, 194

Young adults, male, depression, anxiety, stress, India, 901